

**O.K.DOORS®**  
*more than doors*

**RADEX Poland Sp. z o.o. Sp. K.**  
ul. Komunalna 2, 14-200 Iława, tel. +48 89 644 82 88,  
Fax +48 89 644 82 89, email: sales@radex.com  
www.okdoors.eu  
www.radex.com

This publication does not constitute an offer within the meaning of the law and was made for information purposes only.  
The manufacturer reserves the right to change the construction of the product.

NOTE: Due to the technique of printing colors in this catalog may be different from the real ones.

Edition I/2020

**O.K.DOORS®**  
*more than doors*

**CATALOGUE 2020**




# About us

RADEX Poland Sp. z o.o. [Ltd.] Sp. K. [L.P.] company, owner of the O.K. DOORS brand, is a leading manufacturer and importer of doors. The company was established in 1986 in Łława, a picturesque town located in the Warmińsko-Mazurskie Voivodeship. Thanks to efficient management and constant investments, the Company soon became a significant producer of doors and stairs on the European market.

Currently RADEX is a dynamically developing company in its industry. You will find our products in the largest retail chains in Poland and many other European countries.

We have technical approvals and hygienic certificates issued in accredited research institutions for the products we manufacture. We invite you to familiarize yourself with our offer.



## TABLE OF CONTENT

<b>SYSTEM 55</b> .....	<b>4</b>
Description .....	5
<b>SYSTEM S68 2Z</b> .....	<b>6</b>
Description .....	7
<b>SYSTEM S68 ZL</b> .....	<b>8</b>
Description .....	9
<b>SYSTEM S68 ZL ARCTIC</b> .....	<b>10</b>
Description .....	11
<b>DOORS PRESENTATION</b> .....	<b>12</b>
Artemida, Atena, Hebe, Sparta .....	12
Westa, Temidas, Temida, Neptun .....	13
Rea, Olimpia, Luna, Gaja .....	14
Idalia, Tytan, Juventus, Iris .....	15
Uran, Ariadna, Mars, Arystea .....	16
Altea, Parys, Dedal, Tetyda .....	17
Apollo, Hermes, Ceres, Kronos .....	18
Aurora, Wenus, Eris, Sol.....	19
<b>ACCESORIES</b> .....	<b>20</b>
<b>OPTIONS</b> .....	<b>22-25</b>
<b>OKDOORS TECHNIK</b> .....	<b>26</b>



# SYSTEM P55


## DESCRIPTION

55 mm thick doors are made of steel sheet, covered with a decorative foil of structure and colour of wood, resistant to UV rays. The door filling is made of hard foam polystyrene. The doors are equipped with two independent three-point locks, three adjustable hinges and anti-burglary pins. The doors are equipped with a seal in the door frame and the threshold.

The doors are available in colors: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43).

## CONSTRUCTION OF DOORS

- A** Thermal insulation filling from foamed polystyrene
- B** Seal in the frame
- C** Steel frame
- D** Stainless steel threshold with seal
- E** Metal sheet covered with PVC foil resistant to UV rays



## SPECIFICATION

- External dimensions: 2061x894, 2070 x1000
  - Sheet thickness: (door frame / wing) - 1.2 mm / 0.6 mm
  - Thickness of the wing: 55 mm
  - Material: steel sheet covered with decorative foil resistant to UV rays
  - Filling: foamed polystyrene
  - Lock: two independent, three-point locks
  - Hinges: three hinges, 180° opening angle
  - Seals: main seal in the door frame and threshold.
- Colors: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43)
  - Standard fittings : handle 011 with lockcore 01 set and peephole for self assembly.\*

\*Details on the page 20.

**55 mm**  
Wing thickness

**29 dB**  
Acoustic Isolation

**1,5 W/(m²·K)**  
Heat coefficient

Seal in the frame

Bolt socket

Lock adjustment

Main lock socket

Stainless steel threshold with seal

Eschutheon set 011

Eschutheon AXA RC2 Class type 016

Handle type 011

Handle AXA RC2 type 016

Reinforced pins

3 three-part external hinges

Polish golden oak (DL89)

Polish dark walnut (DL30)

white (A43)

anthracite (N76)



**TEMIDA**  
with locobel frame and mild glass



**CERES**  
with inox frame and mild glass



**Kronos**  
with PVC frame and mild glass



**GAJA**  
with inox frame and mild glass with applications

**O.H.DOORS®**  
*more than doors* **SOLID 68**

**2Z**

## SYSTEM S68 2Z

### DESCRIPTION

Doors with a thickness of 68 mm are made of steel sheet covered with PVC decorative foil with a structure and colour of wood resistant for UV rays. The door filling is made of hard foam polystyrene. Series S68 2Z doors are equipped with two independent three-point locks.

The doors are equipped with two seals around 4 sides of the wing, frame and threshold.

The doors are available in the colours: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43).

### CONSTRUCTION OF DOORS

- A** Thermal insulation filling from foamed polystyrene
- B** Wooden element
- C** Seal in the frame
- D** Door frame
- E** Stainless steel threshold with seal
- F** Metal sheet covered with PVC foil resistant to UV rays



### SPECIFICATION

- External dimensions: 2050x880, 2070x1000
- Sheet thickness: (door frame / wing) - 1.5 mm / 0.7 mm
- Thickness of the wing: 68 mm
- Material: steel sheet covered with PVC decorative foil resistant for UV rays
- Filling: foamed polystyrene
- Lock: two independent, three-point locks
- Colors: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43).
- Standard fittings: handle 011 with lockcore 07 set and peephole for self assembly.\*

\*Details on the page 20.



**68 mm**  
Wing thickness



**29 dB**  
Acoustic Isolation



**1,3 W/(m²·K)**  
Heat coefficient

Seal in the frame



Bolt socket




Lock adjustment



Main lock socket



Stainless steel threshold



Seal on the bottom part of the wing



Eschutheon set 011



Eschutheon AXA RC2  
Class type 016



Handle type 011




Handle AXA RC2  
type 016




Reinforced pins



3 three-part  
external hinges



Polish golden oak  
(DL89)



Polish dark walnut  
(DL30)



white  
(A43)



anthracite  
(N76)




**ARYSTEA**  
with inox applications

**MARS**  
with inox frame and stopsol glass



**NEPTUN**  
z ramką inox i Glazingm lakomat



**HERMES**  
with inox frame and stopsol glass

# O.H.DOORS®

more than doors

## SOLID 68

ZL

## SYSTEM S68 ZL


### DESCRIPTION

Doors with a thickness of 68 mm are made of steel sheet covered with PVC decorative foil with a structure and colour of wood resistant for UV rays. The door filling is made of hard foam polystyrene. Series S68 ZL doors are equipped with Winkhaus multilook. Doors can be equipped with the pull handle\*.

The doors are equipped with two seals around 4 sides of the wing, frame and threshold. The doors are available in the colours: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43)

### CONSTRUCTION OF DOORS

- A** Thermal insulation filling from foamed polystyrene
- B** Wooden element
- C** Seal in the frame
- D** Door frame
- E** Stainless steel threshold with seal
- F** Metal sheet covered with PVC foil resistant to UV rays



### SPECIFICATION

- External dimensions: 2070 x 1000
- Sheet thickness: (door frame / wing) - 1.5 mm / 0.7 mm
- Thickness of the wing: 68 mm
- Material: steel sheet covered with PVC decorative foil resistant for UV rays
- Filling: foamed polystyrene
- Lock: Winkhaus multilock
- Peephole: no
- Colors: Polish golden oak (DL89), Polish dark walnut (DL30), anthracite (N76), white (A43).
- Standard fittings: handle 017 with lockcore 015 set.\*
- Option with pull handle can be equipped only with handle set 017.\*

\*Details on the page 20.






**Artemida**  
with pull handle 1600 mm



**NEPTUN**  
with inox frame, mild glass and pull handle 1600mm



**LUNA**  
with back inox frames, stopsol glass and black pull handle 1600 mm

**O.H.DOORS®**  
*more than doors* **SOLID 68**

**ZL ARCTIC**

## SYSTEM S68 ZL ARCTIC


### DESCRIPTION

Doors with a thickness of 68 mm are made of steel sheet covered with PVC decorative foil with a structure and colour of wood resistant for UV rays. The door filling is made of polystyrene foam. Series S68 ZL ARCTIC doors are equipped with Winkhaus multilook and **aluminium frame**. Doors can be equipped with the pull handle\*.

The doors are equipped with two seals around 4 sides of the wing, frame and aluminium threshold. The doors are available in the colours: anthracite (N76), white (A43)

### CONSTRUCTION OF DOORS

- A** Thermal insulation filling from foamed polystyrene
- B** Seal in the frame
- C** Aluminium frame
- D** Aluminium threshold
- E** Metal sheet covered with PVC foil resistant to UV rays



### SPECIFICATION

- External dimensions: 2100x1025
- Sheet thickness: (door frame / wing)- 1.5 mm / 0.7 mm
- Thickness of the wing: 68 mm
- Material: steel sheet covered with PVC decorative foil resistant for UV rays
- Filling: foamed polystyrene
- Lock: Winkhaus multilock
- Peephole: no

- Colors: anthracite (N76), white (A43).
- Standard fittings: handle 017 with lockcore 011 set.\*
- Option with pull handle can be equipped only with handle set 017.\*

\*Details on the page 20.



**68 mm**  
Wing thickness

**29 dB**  
Acoustic Isolation

**1,1 W/(m²·K)**  
Heat coefficient

Corner of the frame

**68 mm**  
Wing thickness

**29 dB**  
Izolacja akustyczna

Seal in the frame

Hook pocket

The hook of the multipoint lock

Main lock socket and lock adjustment

Eschutheon set 017

Aluminium threshold

3 three-part external hinges


Threshold connection

Reinforced pins

white (A43)

anthracite (N76)


ARTEMIDA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55			011	01
S68 2Z			011	07
S68 ZL			017	015
S68 ZL ARCTIC			017	015

ATENA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015


WESTA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015


TEMIDAS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

HEBE



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015


SPARTA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015


NEPTUN



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

TEMIDA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

REA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

OLIMPIA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

IDALIA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

TYTAN



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55			011	01
S68 2Z			011	07
S68 ZL			017	015
S68 ZL ARCTIC			017	015

LUNA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

GAJA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015


JUVENTUS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

IRIS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015




URAN



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015

ARIADNA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

ALTEA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55			011	01
S68 2Z			011	07
S68 ZL			017	015
S68 ZL ARCTIC			017	015

PARYS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

MARS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

ARYSTEA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox		011	01
S68 2Z	inox		011	07
S68 ZL	inox		017	015
S68 ZL ARCTIC	inox		017	015

DEDAL



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

TEYDA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

APOLLO



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015

CERES



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015


HERMES



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015


KRONOS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	inox	lakomat	011	01
S68 2Z	inox	lakomat	011	07
S68 ZL	inox	lakomat	017	015
S68 ZL ARCTIC	inox	lakomat	017	015


AURORA



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	PVC	roco	011	01
S68 2Z	-	-	-	-
S68 ZL	-	-	-	-
S68 ZL ARCTIC	-	-	-	-

ERIS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	PVC	roco	011	01
S68 2Z	-	-	-	-
S68 ZL	-	-	-	-
S68 ZL ARCTIC	-	-	-	-


WENUS



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	PVC	roco	011	01
S68 2Z	-	-	-	-
S68 ZL	-	-	-	-
S68 ZL ARCTIC	-	-	-	-

SOL



AVAILABLE COLORS

System	Frame	Glazing	Handle	Lockcores sets
P55	PVC	roco	011	01
S68 2Z	-	-	-	-
S68 ZL	-	-	-	-
S68 ZL ARCTIC	-	-	-	-

# OPTIONS

## GLAZING



mild glass

stopsol

steined glass

roco

## PULL HANDLES



1600 mm

1200 mm

1000 mm

1600 mm

1200 mm

1000 mm

## FRAMES / APPLICATIONS



PVC

inox

black  
inox

lacobel

# ACCESORIES



011



012



021



022



016 (RC2)



017



## SYSTEM P55

- Lockcore sets:  
**01** 35k/45k, 35g/45k  
**02** 35k/45k, 35k/45k  
**03** 35k/45k, 35k/45g



- Lockcore sets RC2 class:  
**04** 35k/45k, 35g/45k  
**05** 35k/45k, 35k/45k  
**06** 35k/45k, 35k/45g


## SYSTEM S68 2Z

- Lockcore sets:  
**07** 40k/50k, 40g/50k  
**08** 40k/50k, 40k/50k  
**09** 40k/50k, 40k/50g


## SYSTEM S68 ZL, SYSTEM S68 ZL ARCTIC

- Lockcore sets:  
**013** 40g/50k  
**015** 40k/50k  
**017** 40k/50g


### 01, 04




### 02, 05




### 03, 06




### 07, 010




### 08, 011




### 09, 012




### 013, 014



### 015, 016



### 017, 018









**O.H.DOORS®** technik

## TECHNICAL INFORMATION

### CONSTRUCTION OF RT01

- A** Thermal insulation board (EPS)
- B** Steel sheet 0,5 mm - galvanized (brown, white, anthracite - additionally lacquered)
- C** Door frame profile - steel N125
- D** Steel threshold (assembly threshold)



### SPECIFICATION

#### MODEL RT01

- External dimensions: 2052x878, 2052x978
- Sheet thickness: (door frame / wing) - 1.2 mm / 0.5 mm
- Wing thickness: 41 mm
- Material: painted steel sheet
- Filling: foamed polystyrene
- Lock: single point lock
- Hinges: three hinges, 180 ° opening angle
- Seals: main glued.
- Peephole: no
- Colors galvanized (TE05), white (TEB4), brown (TEB6), anthracite (TEA3)
- Fittings: door handle with a key




**41 mm**  
Wing  
thickness




**1,9 W/(m<sup>2</sup>·K)**  
Heat  
coefficient



Seal in the frame




Lock latch



Mounting  
threshold



Door handle + lock



2 hinges

**RT01**



galvanized (TE05)



white (TEB4)



brown (TEB6)



anthracite (TEA3)



**RT01**  
white



**RT02 UNI**  
anthracite



**RT01**  
galvanized

### DESCRIPTION

Doors with a thickness of 41 mm are made of painted steel sheet. The door filling is made of hard foam polystyrene. The doors are equipped with one lock. The doors are fitted with a seal glued into the door frame.

The doors are available in colors: galvanized (TE05), white (TEB4), brown (TEB6), anthracite (TEA3).

### TECHNICAL INFORMATION

#### CONSTRUCTION OF RT02 UNI

- A** Thermal insulation board (EPS)
- B** Sheet steel 0,5 mm - galvanized (varnished)
- C** Door frame profile - steel N111
- D** Healboard
- E** Mounting plate (anchoring)



### SPECIFICATION

#### MODEL RT02 UNI

- External dimension: 1995x792, 1995x892, 1995x992
- Sheet thickness: (door frame / wing) - 1.2 mm / 0.5 mm
- Wing thickness: 41 mm 2
- Material: painted steel sheet
- Filling: foamed polystyrene
- Lock: single point lock
- Hinges: three hinges, 180 ° opening angle
- Seals: main glued.
- Peephole: no
- Colors white (TEB4), brown (TEB6), anthracite (TEA3)
- Fittings: door handle with a key




**41 mm**  
Wing  
thickness



**1,9 W/(m²·K)**  
Heat  
coefficient



#### RT02 UNI



Seal in the frame




Door handle + lock



2 hinges



white (TEB4)




brown (TEB6)




anthracite (TEA3)

RT01



AVAILABLE COLORS

RT02 UNI



AVAILABLE COLORS